



Registered Address: S.No 32, H.No 13/17, Shri Sadguru Spandan
Flat No.302, Swami Vivekanand HSG. SOC, Ambegaon, Pune 411046.
Factory Add: Unit-II , Survey No. 1/1, Near Dari Bridge, Jambhulwadi,
Pune MH 411046

 +91 9657716429/21  paints@tripolarcon.com  www.tripaints.com



Decorative Paints
Undercoats – Wall Putty
Interior Wall Coatings
Exterior wall Coatings
Waterproofing



*Decorative
Paints
Catalogue*

Explore
Our World of
Colours

Triguard

Tri Polarcon Pvt.Ltd.
The Paint Company

We Provide all you need to design your space. from providing color advice, paints, painters, paint accessories and even complementary Interior Design Idea



Quality Meets Creativity

We innovate, develop & manufacture paints & coatings touching almost each & every aspect of our life. To ensure our constant focus on entire spectrum of products we have divided our group into four Brand.

1. Trikol
2. Triguard
3. Triplast
4. Triflor

It's premium quality that can bring your colour ideas to life.

In the Hands of the Pros

Our products ensure a colorful world, that is protected and beautiful. Our strength is our constant focus into technological advancement.

Our team work relentlessly to develop products based on new technologies.

Be Bold, Be Expensive

Our biggest strength is our passion for research & innovation and in order to do so we constantly focus on building the team driven by knowledge.

Team at Triguard includes technocrats & industry leaders coming from highest standard of academic institute.

Building team is our unrelenting expedition and we continuously search and induct the team to take our drive further.

Triguard

Tri Polarcon Pvt.Ltd.
The Paint Company

TRIGUARD IS A NEW-AGE PAINTS & COATINGS BRAND. WE SEEK TO BEAUTIFY THE WORLD BY PROVIDING PAINTS & COATINGS BASED ON OUR INNOVATIVE TECHNOLOGIES.

Simply Better.

FOR AN EASY, EFFICIENT,
AND ELEGANT FINISH.





Triguard Acrylic Water Thinnable Primer (interior)

Description:

Acrylic Primer Made From Acrylic Co-polymer Emulsion. Interior And Exterior Acrylic Water Thinnable Primers Are Used As Surface Priming, Prior To The Application Of Water Based Acrylic Coatings, Is Suitable For Undercoat For Walls, Asbestos Concrete, And Cement Before Applying The Finishing Coat.

Triguard Interior Primer Is Economic Primer Used For Distemper And Interior Emulsion

- **Technical Data**
- **Area Application:** Plaster Concrete Asbestos Sheet
- **Method Of Application:** Can Be Applied By Brush Or Roller
- **Primer:** Triguard Exterior Interior Primer
- **Thinning:** 50% By Volume
- **Coverage:** 100/110 Sqft Per Coat
- **Finish:** Smooth Silky Finish.
- **Packing Available:** 20 Ltrs, 10 Ltrs, 4 Ltrs, 1 Ltrs.



Triguard Acrylic Water Thinnable Primer (exterior)

Description:

Acrylic Primer Made From Acrylic Co-polymer Emulsion. Interior And Exterior Acrylic Water Thinnable Primers Are Used As Surface Priming, Prior To The Application Of Water Based Acrylic Coatings, Is Suitable For Undercoat For Walls, Asbestos Concrete, And Cement Before Applying The Finishing Coat.

- triguard Interior Primer Is Economic Primer Used
- for Distemper And Interior Emulsion
- **Technical Data:**
- **Area Application:** Plaster Concrete Asbestos Sheet
- **Method Of Application:** Can Be Applied By Brush Or Roller
- **Primer:** Triguard Exterior Interior Primer
- **Thinning:** 50% By Volume
- **Coverage:** 100/110 Sqft Per Coat
- **Finish:** Smooth Silky Finish.
- **Packing Available:** 20 Ltrs, 10 Ltrs, 4 Ltrs, 1 Ltrs.



Triguard Acrylic Based Wall Putty

Description:

Acrylic Wall Putty Is Made From Acrylic Co-polymer Emulsion Primarily At Construction Sites, As A Surface Plaster. Wall Putty Can Be Used On Both New And Old Surfaces Is Suitable For Filling Cracks, Joints And Leveling Up Of Uneven Rough Surfaces Such As Concrete Cement.

- **Area Of Application:** Plaster, Concrete Walls , Pop
- **Primer :** Triguard Premium Exterior Primer
- **Coverage :** 10/ 11 Sqft Per Kg Per Coat
- **Finish:** Smooth Hard Finish
- **Packaging Available –** 20 Kg , 10 Kg , 5 Kg , 1 Kg



Triguard Cement Based Wall Putty

Description:

Cement Based Wall Putty Is Made From White Portland Cement Used To Fill Gap Between Wall And Ceiling Of Cement And Plaster Surface. Due To This Wall Became Uniform Level With King Of Glaze.

- **Area Of Application** Plaster, Concrete Walls , Pop
- **Primer :** Triguard Premium Exterior Primer
- **Coverage :** 10/ 11 Sqft Per Kg Per Coat
- **Finish:** Smooth Hard Finish
- **Packaging Available:** 20 Kg , 10 Kg , 5 Kg , 1 Kg.



Triguard Acrylic Washable Distemper (OBD)

Description :

Acrylic Washable Distemper Is Made From Excellent Pigments And Styrene Acrylic Emulsion And Fine Adhesive The Acrylic Washable Distemper Paint Gives A Smooth Finish, Which Ensures A Pleasing Surface For All Interior Decorative Work On Walls And Ceilings.

- **Area Of Application:** Plaster, Concrete Walls , Pop
- **Primer:** Triguard Premium Exterior Primer
- **Coverage:** 60/70 Sqft Per Kg Per Coat
- **Finish:** Smooth Hard Finish
- **Packaging Available:** 20 Kg , 10 Kg , 5 Kg , 1 Kg





Triguard Interior Acrylic Emulsion



Description:

Interior Acrylic Emulsion Made From High Quality Acrylic Co-polymer Emulsion. Interior Acrylic Emulsion Based On High Performance Properties Looks Beautiful And Protects Interior Surfaces.

- **Technical Data:**
- **Area Of Application:** Asbestos Sheets, Concrete Wall Plasters Etc.
- **Precaution:** Not Recommended On Lime Wash.
- **Method Of Application:** 1 Coats Primer, 2-3 Coats Paints.
- **Primer:** Triguard Exterior-interior Primer.
- **Thinning:** 40/50% By Volume
- **Coverage:** 130/140sqft/ltr Per Coat
- **Finish:** Smooth Matt Finish
- **Packing Available:** 20 Ltrs, 10 Ltrs, 4 Ltrs & 1 Ltrs.

Triguard Exterior Acrylic Emulsion



Description:

Exterior Emulsion Paints Are Manufactured Using Pure Acrylic Emulsion Give High Performance. They Exhibit Tough Resistance To Ultra Violet Rays Of Sun, Snow With Non-fading Colors And With Anti-fungal Properties And Protecting The External Surfaces Of The Building From Weathering Conditions

- **Technical Data:**
- **Area Of Application:** Asbestos Sheets, Concrete Wall Plasters Etc.
- **Precaution:** Not Recommended On Lime Wash.
- **Method Of Application:** 1 Coats Primer, 2-3 Coats Paints.
- **Primer:** Triguard Exterior-interior Primer.
- **Thinning:** 40/50% By Volume
- **Coverage:** 130/140sqft/ltr Per Coat
- **Finish:** Smooth Matt Finish
- **Packing Available:** 20 Ltrs, 10 Ltrs, 4 Ltrs & 1 Ltrs.

Triguard Exterior Acrylic Textured Paint



Description:

Exterior Acrylic Textured Made From 100% Acrylic Aggregate-filled Coating. Texture Finish Minimizes Defects And Irregularities Found On Poured Cement And Aggregate Block And Has Been Used At Exterior Surface.

- **Area Of Application :** Asbestos Sheets, Concrete Wall Plasters Etc.
- **Method Of Application:** 1 Coats Primer, 1 Coats Paints.
- **Primer:** Triguard Exterior-interior Primer.
- **Thinning:** 55/58% By Volume
- **Coverage:** 80/90 Sqft/kg Per Coat
- **Finish:** Smooth Matt Finish
- **Packing Available:** 25 Kg Bag

Triguard Powder Distemper



Description :

Powder Distemper Is Made From Acrylic Co-polymer Emulsion Which Gives Your Wall Smooth Matt Finish

- **Technical Data:-**
- **Area Of Application:** Interior Plasters, Brick Work Etc.
- **Method Of Application:** 1 Coats Primer, 1 Coat Putty & 2-3 Coats Paints.
- **Primer:** Triguard Exterior-interior Primer.
- **Thinning:** 30% By Volume
- **Coverage:** 50/60sqft/ltr Per Coat
- **Finish:** Smooth Matt Finish
- **Packing Available:** 20 Kg, 1 Kg Bag





Triguard Enamel Paints

Description :

Tripaints Enamel Is A Long Lasting, Glossy, Solvent Based Paint For Interior Surface Only. It Can Be Applied On Wooden Surfaces Like Interior Doors, Windows, Interior Ply Boards Partition, Walls, Metal Surfaces

- **Area Of Application:** Wooden,metallic, Concrete Walls , Pop.
- **Primar:** Triguard Epzp
- **Coverage:** 50/60 Sqft Per Ltr Per Coat
- **Finish:** Smooth Glossy/matt Finish
- **Packaging Available:** 20 Ltrs, 10 Ltrs,4 Ltrs & 1 Ltrs



Triguard Lustre Water Thinnable

Description:

Triguard Lustre Water Thinnable Is A Premium Emulsion Paint Made Up Of Top Quality Acrylic Polymers That Provides A Luxurious Finish & Silky Appearance To Your Walls

- **Area Of Application:** Plasters, Fall Ceiling , Asbestos Sheets Etc.
- **Method Of Application:** 2 Coats Primer, 1 Coat Putty & 2-3 Coats Paints.
- **Primer:** Triguard Exterior-interior Primer.
- **Thinning:** 30% By Volume • **Coverage:** 120/130sqft/ltr Per Coat
- **Finish:** Luxurious Finish
- **Packing Available:** 20 Ltrs, 10 Ltrs,4 Ltrs & 1 Ltrs



Triguard Fire Retardant Paint

Description:

It Can With Stand Extreme Temperature For Alonger Period Of Time (Up To 2 Hrs) It Is Non Toxic An Environmentally Safe. Fire Retardant Wall Coatings For Commercial Industrial

- **Area Of Application:** Plaster, Concrete Walls , Pop .
- **Primar:** Triguard Premium Exterior Primer
- **Coverage:** 50/60 Sqft Per Ltr Per Coat
- **Finish:** Smooth Hard Finish
- **Packaging Available:** 20 Ltrs, 10 Ltrs,4 Ltrs & 1 Ltrs

Experience The Triguard Advantage With These 5 Differentiating Points, That Help Us Deliver Better.

1.Product Innovation:

Core ideology behind creation of Triguard is to be driven by technology. We continuously work for developing products which are most effective for their intended uses. We develop solutions for both professional users as well as individual home owners. As a matter of fact, we manufacture more than 1,000 products starting from highly advance industrial & automotive coatings, to wide range of coatings and decorative paints.

2. Protection:

We deliver the paints & coatings designed to give highest amount of protection. Our R&D team works round the clock to develop products which could improve the protection and for this we employ most modern technical tools starting from Nano technology to smart paints. Most of our products for exterior including industrial, wood, and decorative comes with warranty from 5 up to 10 years. Our warranty includes even highly challenging substrate, where we are among very few companies in world who could give warranty for more than five years.

3.Aesthetics:

We beautify the world by continuously developing colors which has greater aesthetical appeal. Starting from wide range of plain colors to highly specialized colors such as pearl, silver, gold, stainless steel, multi-colors, textures, marble effects and so on. Our focus is always to bring colors with greater & greater aesthetical appeal. Altogether we offer more than 500 ready plain colors.

4. Technical Support & Service:

We are one stop solution for many of our high-volume clients, providing them with industry-wide solutions in paints and coatings. We have branch offices, technical support center as well demo in most of major cities across the country. We work 24 X 7 days and our Technical team is ready to resolve any technical problem round the clock.

5.Sustainability:

We keep health & environment at highest priority while developing the products. Majority of our products are water-based products which are both eco-friendly as well as does not have any health hazards. Also, all the products we manufacture are free of lead and heavy metals. Most of our research for future generation products are based on Green Technologies.

Every client is different, so are their needs. We have a custom production team that looks after any client's special needs. Here, we identify the needs of the client, study their processes and infrastructure, recommend the product and start the development. Many products in our portfolio are a result of successful custom developments.



Triguard
Tri Polarcon Pvt.Ltd.
The Paint Company

EXPRESS YOUR WORLD
IN COLOR

- Epoxy / PU flooring
- Admixtures
- Surface Treatments
- Grouts & Anchors
- Concrete Repairs
- Protective Coatings
- Joint sealants & Waterproofing
- Adhesives and Bonding Agent



Tri Polarcon Pvt. Ltd.
High Performance Construction Chemicals